

CHESHIRE

GamFratesi

It echoes the studio's Nordic imprint in its simplicity and functional aspects. The opaline polycarbonate diffuser ensures soft lighting, while the colored one spreads the light downwards in the table and floor versions or upwards in the hanging model.



BIANCO

SPECIFICHE TECNICHE

Certificazione	CE,CLASSE II,EAC
Materiale	Metallo,Polimero
Accensione	Dimmerabile
Emissione	Luce indiretta
Potenza totale	3x max 23W
Sorgente luminosa	E27
Tensione	220-240 V
IP	40

SKU

F425225350BINE

NOTE

Floor lamp with direct light not dimmable. Painted metal frame. Top diffuser made of painted polycarbonate; bottom diffuser made of opaline polycarbonate. Transparent power cable, plug and switch. European two-pole plug. Bulb not included.



NERO

SPECIFICHE TECNICHE

Certificazione	CE,CLASSE II,EAC
Materiale	Metallo,Polimero
Accensione	Dimmerabile
Emissione	Luce indiretta
Potenza totale	3x max 23W
Sorgente luminosa	E27
Tensione	220-240 V
IP	40

SKU

F425225350NENE

NOTE

Floor lamp with direct light not dimmable. Painted metal frame. Top diffuser made of painted polycarbonate; bottom diffuser made of opaline polycarbonate. Transparent power cable, plug and switch. European two-pole plug. Bulb not included.

