

# NOBI

## Metis Lighting

In floor, wall and suspension versions, Nobi guarantees total practicality for innovative elegant design. The adjoined convex lenses are held in place by a system of small clamps and fixed to the metal structure with two pins, the same on which the light source is also mounted. The diffuser can thus rotate on itself and orient the light flow in different directions. Innovative and available in multiple versions, Nobi provides maximum functionality while retaining a powerful aesthetic presence.



# BIANCO

---

## SPECIFICHE TECNICHE

Certificazione	CE,EAC,ETL
Materiale	Vetro,Metallo
Accensione	Dimmerabile
Emissione	Luce diffusa
Potenza totale	120W
Sorgente luminosa	R7s/80
Tensione	220-240 V
IP	20

## SKU

F302345150BINE

## NOTE

Wall lamp with diffused and dimmable light. By installing the supplied reflector the lamp produces direct/indirect directional light. Frame made of satined nickel-plated metal. Adjustable satin glass diffuser and reflector made of anodized aluminium. Wall support made of nickel-plated metal.

# CROMO

---

## SPECIFICHE TECNICHE

Certificazione	CE,EAC
Materiale	Vetro,Metallo
Accensione	Dimmerabile
Emissione	Luce diffusa
Potenza totale	14W
Sorgente luminosa	LED integrato
Flusso luminoso	1400 Lm
Temperatura colore	2700 K
TYP CRI	>80
IP	20

## SKU

F302345150CRLE

## NOTE

Wall lamp with diffused and dimmable light. By installing the supplied reflector the lamp produces direct/indirect directional light. Frame made of satined nickel-plated metal. Adjustable satin glass diffuser and reflector made of anodized aluminium. Wall support made of nickel-plated metal. Integrated led.

# NICHEL SATINATO

---

## SPECIFICHE TECNICHE

Certificazione	CE,EAC
Materiale	Vetro,Metallo
Accensione	Dimmerabile
Emissione	Luce diffusa
Potenza totale	14W
Sorgente luminosa	LED integrato
Flusso luminoso	1400 Lm
Temperatura colore	2700 K
TYP CRI	>80
IP	20

## SKU

F302345150NSLE

## NOTE

Wall lamp with diffused and dimmable light. By installing the supplied reflector the lamp produces direct/indirect directional light. Frame made of satined nickel-plated metal. Adjustable satin glass diffuser and reflector made of anodized aluminium. Wall support made of nickel-plated metal. Integrated led.