

SILLABA

Pietro Maria Castiglioni

Designed for either wall or ceiling installation, Sillaba combines discretion and pureness, furnishing any room with its minimal presence.



PICCOLA / BIANCO

SPECIFICHE TECNICHE

Certificazione	CE,CLASSE III,EAC,ETL
Materiale	Vetro,Metallo
Accensione	Dimmerabile
Emissione	Luce diffusa
Potenza totale	20W
Sorgente luminosa	G4
Tensione	220-240 V
IP	44

SKU

F277560150BINE

NOTE

Wall/ceiling lamp with diffused and dimmable light.
Frame made of hermoplastic material. Diffuser made
of printed borosilicate glass with sandblasted on the
outside. Transformer and bulb not included.

GRANDE / BIANCO

SPECIFICHE TECNICHE

Certificazione	CE,EAC,ETL
Materiale	Vetro,Metallo
Accensione	Dimmerabile
Emissione	Luce diffusa
Potenza totale	8W
Sorgente luminosa	LED integrato
Flusso luminoso	650 Lm
Temperatura colore	3000 K
TYP CRI	>80
IP	40

SKU

F277570150BILE

NOTE

Wall/ceiling lamp with diffused and dimmable light.

Painted metal frame. Diffuser made of printed borosilicate glass with sandblasted on the outside.

Integrated led.

GRANDE / BIANCO

SPECIFICHE TECNICHE

Certificazione	CE,CLASSE II,EAC,ETL
Materiale	Vetro,Metallo
Accensione	Dimmerabile
Emissione	Luce diffusa
Potenza totale	60W
Sorgente luminosa	G9
Tensione	220-240 V
IP	40

SKU

F277570150BINE

NOTE

Wall/ceiling lamp with diffused and dimmable light.
Frame made of thermoplastic material. Diffuser
made of printed borosilicate glass with sandblasted
on the outside. Bulb not included.